IN THE CLAIMS

What is claimed:

- 1. (Currently Amended) A <u>computer-implemented</u> method of identifying a translation service <u>provider</u> in response to a translation request, the method comprising the acts of:

 registering a plurality of translation <u>services-service providers</u> with a moderator;

 for each of the plurality of translation <u>service providers</u>, creating a translator record for a particular work experience of each translation service <u>previously performed</u>

 <u>by each translation service provider</u>, the translator record including a plurality of free fields containing data that characterizes the particular work experience of each translation service;
 - receiving at the moderator a translation request receiving a user over a network, the translation request seeking a translation service provider to translate a document of the user from a first language to a second language, the translation request received-including a plurality of free fields each having an associated identifier indicative of a desired work experience of the translation service provider to perform the translation; and
 - in response to the request record, matching data in at least one free field of the translator records of the plurality of translation service providers with the translation request-using at least one of the identifiers of the translation request; and
 - generating a list of candidates of the translation service providers having at least one
 translator record including at least one matched data in view of the at least one

identifier of the translation request to allow the user to select one or more of the candidates to translate the document from the first language to the second language.

 (Currently Amended) The method of claim 1, wherein the creating a translator record comprises set includes the sets of:

displaying a translator record to the of a translation service, the translator record having the plurality of free fields;

inputting data indicative of the particular work experience by associated with the translation service into each of the plurality of free fields;

transmitting the translator record of free fields via an internet connection to the moderator;

receiving the translator record of free fields at the moderator; and storing the translator record of free fields in a storage of the moderator.

- (Currently Amended) The method of claim 1, wherein one of the free fields of the translator record prompts the translation service <u>provider</u> for a language pair identifier indicative of work experience in translating <u>the</u> first language to a <u>the</u> second language.
- (Currently Amended) The method of claim 1, wherein the moderator includes a
 website in communication via an internet connection with the translation service <u>provider</u> and
 the user making the translation request.
- 5. (Currently Amended) The method of claim 1, wherein the identifiers input into the free

fields of the request record includes a language pair indicative of desired work experience in translating from thea first language to thea second language.

- 6. (Currently Amended) The method of claim 1, further including the act of comprising displaying each translator record of free fields with at least one free field having data that matches identifiers in one or more of the free fields of the <u>translation</u> request record, wherein each translator record is anonymous in regard to the associated translation service <u>provider</u>.
- (Currently Amended) The method of claim 6, further including the acts of comprising:
 selecting a displayed translator record of free fields associated with the translation
 service provider having data indicative of work experience that matches one or
 more identifiers in the translation request-record;
 - retrieving from the moderator a-contact information for the translation service <u>provider</u>

 associated with the selected translator record; and
 - displaying the contact information of the translated-translation service provider

 associated with the selected translator record to the user, such that the user can

 directly contact the translation service provider in an attempt to negotiate a

 translation service to be performed on the document of the user.
- (Currently Amended) The method of claim 1, further comprising the acts of: retrieving the translator record created by the translation service <u>provider</u> from the moderator;
 - editing data in one or more of the free fields by the translation service <u>provider</u>; and transmitting a revised translator record to the moderator; and

storing the revised translator record at the moderator.

9. (Currently Amended) The method of claim 1, wherein one of the free fields of the translator record receives data indicative of a subject matter of the translation service's work experienceassociated with respective translation service.

10-19 (Canceled)

20. (New) A computer-readable storage medium having computer instructions stored therein, which when executed by a computer, cause the computer to perform a method for identifying a translation service provider in response to a translation request, the method comprising:

registering a plurality of translation service providers with a moderator;

for each of the plurality of translation service providers, creating a translator record for a particular work experience of each translation service previously performed by each translation service provider, the translator record including a plurality of free fields containing data that characterizes the particular work experience of each translation service:

receiving at the moderator a translation request from a user over a network, the

translation request seeking a translation service provider to translate a

document of the user from a first language to a second language, the translation

request including a plurality of free fields each having an associated identifier

indicative of a desired work experience of the translation service provider to

perform the translation:

in response to the request record, matching data in at least one free field of the

translator records of the plurality of translation service providers with at least

one of the identifiers of the translation request; and

generating a list of candidates of the translation service providers having at least one

translator record including at least one matched data in view of the at least one

identifier of the translation request to allow the user to select one or more of

the candidates to translate the document from the first language to the second

21. (New) The computer-readable storage medium of claim 20, wherein creating a translator record comprises:

language.

- displaying a translator record of a translation service, the translator record having the plurality of free fields;
- inputting data indicative of the particular work experience associated with the translation service into each of the plurality of free fields;
- transmitting the translator record of free fields via an internet connection to the moderator:
- receiving the translator record of free fields at the moderator; and storing the translator record of free fields in a storage of the moderator.
- 22. (New) The computer-readable storage medium of claim 20, wherein one of the free fields of the translator record prompts the translation service provider for a language pair identifier indicative of work experience in translating the first language to the second language.

- 23. (New) The computer-readable storage medium of claim 20, wherein the moderator includes a website in communication via an internet connection with the translation service provider and the user making the translation request.
- 24. (New) The computer-readable storage medium of claim 20, wherein the identifiers input into the free fields of the request record includes a language pair indicative of desired work experience in translating from the first language to the second language.
- 25. (New) The computer-readable storage medium of claim 20, wherein the method further comprises displaying each translator record of free fields with at least one free field having data that matches identifiers in one or more of the free fields of the translation request, wherein each translator record is anonymous in regard to the associated translation service provider.
- 26. (New) The computer-readable storage medium of claim 25, wherein the method further comprises:
 - selecting a displayed translator record of free fields associated with the translation service provider having data indicative of work experience that matches one or more identifiers in the translation request;
 - retrieving from the moderator contact information for the translation service provider associated with the selected translator record; and
 - displaying the contact information of the translation service provider associated with the selected translator record to the user, such that the user can directly contact

the translation service provider in an attempt to negotiate a translation service to be performed on the document of the user.

27. (New) The computer-readable storage medium of claim 20, wherein the method further comprises:

retrieving the translator record created by the translation service provider from the moderator:

editing data in one or more of the free fields by the translation service provider; transmitting a revised translator record to the moderator; and storing the revised translator record at the moderator.

- 28. (New) The computer-readable storage medium of claim 20, wherein one of the free fields of the translator record receives data indicative of a subject matter of the translation service's work experience.
- 29. (New) A computer system, comprising:

a processor; and

a memory coupled to the processor for storing computer instructions, which when executed from the memory, cause the processor to perform a method, the method including

registering a plurality of translation service providers with a moderator, for each of the plurality of translation service providers, creating a translator record for a particular work experience of each translation service previously performed by each translation service provider, the translator

record including a plurality of free fields containing data that characterizes the particular work experience of each translation service, receiving at the moderator a translation request from a user over a network, the translation request seeking a translation service provider to translate a document of the user from a first language to a second language, the translation request including a plurality of free fields each having an associated identifier indicative of a desired work experience of the translation service provider to perform the translation,

in response to the request record, matching data in at least one free field of the translator records of the plurality of translation service providers with at least one of the identifiers of the translation request, and generating a list of candidates of the translation service providers having at least one translator record including at least one matched data in view of the at least one identifier of the translation request to allow the user to select one or more of the candidates to translate the document from the first language to the second language.